Categorized Responses

| Category | Frequency | Sub-area | Action Requested |
|---------------------------|-----------|---------------------------|---|
| Appendix Database | V-High | | |
| | | Historical perspective | Need earlier data; include canning and anecdotal |
| | | Smolt record | Earlier record; regional record |
| Habitat | V-High | | |
| | | Chapter | Dedicated habitat chapter |
| | | Current initiatives | Identify existing and proposed work |
| | | VSP treatment | Closer tie of habitat to viability |
| Management | High | | |
| | | History | Hatchery programs; harvest regulations |
| | | Decisions analysis | Premis for, and results of, summary and analysis |
| | | Alternatives | Recommend different approaches |
| Run Timing | Med | | |
| | | Early run loss of wild | Segregated harvest program impacts |
| | | March 15th survey start | Stream survey entire earlier wild run |
| Distribution Maps | Low | | |
| | | Map plotting errors | Fix Mid-Columbia (Yakima River) |
| | | Calculation errors | Habitat more informative than total mileage |
| Integrated Programs | V-High | | |
| | | Strong integration bias | Need to move slowly, unproven technology |
| | | Risk analysis | Further research is necessary |
| | | Monitoring need | Comprehensive, pre-requisite to initiation |
| | | Sunset provision | 5-years (1 Gener.); or if success isn't established |
| Wild Mortalities | M-Low | | |
| | | Release mortalities | Tighten assumptions; more specific |
| | | Missing other sources | Net drop-out, poaching, etc. |
| Economic Assessment | M-High | | |
| | | Absolute scale | Justify numbers further |
| | | Errors and omissions | Include C&R, WSR |
| Extinction Risk | M-Low | | |
| | | Method | Discuss alternatives and choice |
| | | Assumptions | Use average escapements instead of last one |
| Comprehension/Readability | M-Low | | |
| | | Chapter 3 difficult level | Too technical; needs additional material |
| | | Chapter 4 misunderstood | Intent not defined; failed to meet expectations |
| Wild Management Zones | M-High | | |
| | | More treatment | Define and list recommended streams |
| | | Better definition of | Include all salmonids; sanctuaries from harvest |